

PRODUCT CATALOGUE Compressed Air Distribution (Piping) Products Range



Contacts:

At Pilot Air we're here to help. For your full "Expertise, Support, Value" feel free to call us or drop us a line.

Email:

- <u>sales@pilotair.com.au</u>
- service@pilotair.com.au
- acpayable@pilotair.com.au

Phone:

- NSW 02 9648 3099
- QLD 07 3279 1213
- VIC/TAS/NT 1300 667 579
- SA 1300 667 579 (Statewide Agencies)
- WA- 08 9424 2800 (Air & Power)

Post:

• P O Box 277 Ermington NSW 1700

www.pilotair.com.au

Revision 002 09-2016

BLUE ALUMINIUM PIPE

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|------|-------------------|
| Blue Aluminium Pipe D 20 X 1,3 X 6000 | 20 | AC-PIPE-20 |
| Blue Aluminium Pipe D 25 X 1,4 X 6000 | 25 | AC-PIPE-25 |
| Blue Aluminium Pipe D 32 X 1,5 X 6000 | 32 | AC-PIPE-32 |
| Blue Aluminium Pipe D 40 X 1,8 X 6000 | 40 | AC-PIPE-40 |
| Blue Aluminium Pipe D 50 X 2 X 6000 | 50 | AC-PIPE-50 |
| Blue Aluminium Pipe D 63 X 2 X 6000 | 63 | AC-PIPE-63 |
| Blue Aluminium Pipe D 80 X 2,5 X 6000 | 80 | AC-PIPE-80 |
| Blue Aluminium Pipe D 110 X 2,6 X 6000 | 110 | AC-PIPE-110 |
| | | |



BRACKETS WITH M8 THREAD

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|------|-------------------|
| Brackets, with M8 thread insert piece (Pack of 10) | 16 | AC-BRACKETS-16 |
| Brackets, with M8 thread insert piece (Pack of 10) | 20 | AC-BRACKETS-20 |
| Brackets, with M8 thread insert piece (Pack of 10) | 25 | AC-BRACKETS-25 |
| Brackets, with M8 thread insert piece (Pack of 10) | 32 | AC-BRACKETS-32 |
| Brackets, with M8 thread insert piece (Pack of 10) | 40 | AC-BRACKETS-40 |
| Brackets, with M8 thread insert piece (Pack of 10) | 50 | AC-BRACKETS-50 |
| Brackets, with M8 thread insert piece (Pack of 10) | 63 | AC-BRACKETS-63 |
| Brackets, with M8 thread insert piece (Pack of 10) | 80 | AC-BRACKETS-80 |
| Brackets, with M8 thread insert piece (Pack of 10) | 110 | AC-BRACKETS-110 |



| DESCRIPTION | DIA. | PILOT PART NUMBER |
|----------------------|-------|-------------------|
| Spacers (Pack of 10) | 20-32 | AC-SPACERS-20-32 |
| Spacers (Pack of 10) | 40-63 | AC-SPACERS-40-63 |

COUPLING (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| Coupling | 16 | AC-COUP-16 |
| Coupling | 20 | AC-COUP-20 |
| Coupling | 25 | AC-COUP-25 |
| Coupling | 32 | AC-COUP-32 |
| Coupling | 40 | AC-COUP-40 |
| Coupling | 50 | AC-COUP-50 |
| Coupling | 63 | AC-COUP-63 |





SLIDING COUPLING (TECHNOPOLYMER)

| | - | |
|------------------|------|-------------------|
| DESCRIPTION | DIA. | PILOT PART NUMBER |
| Sliding Coupling | 32 | AC-SL.COUP-32 |
| Sliding Coupling | 40 | AC-SL.COUP-40 |
| Sliding Coupling | 50 | AC-SL.COUP-50 |
| Sliding Coupling | 63 | AC-SL.COUP-63 |

45° ELBOW (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| 45° Elbow | 20 | AC-45ELB-20 |
| 45° Elbow | 25 | AC-45ELB-25 |
| 45° Elbow | 32 | AC-45ELB-32 |
| 45° Elbow | 40 | AC-45ELB-40 |
| 45° Elbow | 50 | AC-45ELB-50 |
| 45° Elbow | 63 | AC-45ELB-63 |

90° ELBOW (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| 90° Elbow | 16 | AC-90ELB-16 |
| 90° Elbow | 20 | AC-90ELB-20 |
| 90° Elbow | 25 | AC-90ELB-25 |
| 90° Elbow | 32 | AC-90ELB-32 |
| 90° Elbow | 40 | AC-90ELB-40 |
| 90° Elbow | 50 | AC-90ELB-50 |
| 90° Elbow | 63 | AC-90ELB-63 |

TEE (TECHNOPOLYMER)

| | | 1 |
|-------------|------|-------------------|
| DESCRIPTION | DIA. | PILOT PART NUMBER |
| Тее | 16 | AC-TEE-16 |
| Тее | 20 | AC-TEE-20 |
| Tee | 25 | AC-TEE-25 |
| Тее | 32 | AC-TEE-32 |
| Тее | 40 | AC-TEE-40 |
| Tee | 50 | AC-TEE-50 |
| Tee | 63 | AC-TEE-63 |
| | | |









THREADED TEE (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-----------------------------|------|-------------------|
| Threaded tee, female thread | 20 | AC-TTF-20 |
| Threaded tee, female thread | 25 | AC-TTF-25 |

REDUCING TEE (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--------------|-------|-------------------|
| Reducing Tee | 20X16 | AC-RED TEE-20X16 |
| Reducing Tee | 25X16 | AC-RED TEE-25X16 |
| Reducing Tee | 25X20 | AC-RED TEE-25X20 |
| Reducing Tee | 32X20 | AC-RED TEE-32X20 |
| Reducing Tee | 32X25 | AC-RED TEE-32X25 |
| Reducing Tee | 40X25 | AC-RED TEE-40X25 |
| Reducing Tee | 40X32 | AC-RED TEE-40X32 |
| Reducing Tee | 50X32 | AC-RED TEE-50X32 |
| Reducing Tee | 50X40 | AC-RED TEE-50X40 |
| Reducing Tee | 63X40 | AC-RED TEE-63X40 |
| Reducing Tee | 63X50 | AC-RED TEE-63X50 |

END CAP (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| End Cap | 16 | AC-END CUP-16 |
| End Cap | 20 | AC-END CUP-20 |
| End Cap | 25 | AC-END CUP-25 |
| End Cap | 32 | AC-END CUP-32 |
| End Cap | 40 | AC-END CUP-40 |
| End Cap | 50 | AC-END CUP-50 |
| End Cap | 63 | AC-END CUP-63 |


REDUCERS (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|-------|--------------------|
| Reducers | 25X20 | AC-REDUCTION-25X20 |
| Reducers | 32X25 | AC-REDUCTION-32X25 |
| Reducers | 40X25 | AC-REDUCTION-40X25 |
| Reducers | 40X32 | AC-REDUCTION-40X32 |
| Reducers | 50X40 | AC-REDUCTION-50X40 |











90° ELBOW MALE THREAD (TECHNOPOLYMER)

| | | / |
|------------------------|---------|-----------------------|
| DESCRIPTION | DIA. | PILOT PART NUMBER |
| 90° Elbow, male thread | 20x1/2" | AC-90ELB.MALE-20x1/2" |
| 90° Elbow, male thread | 25x1/2" | AC-90ELB.MALE-25x1/2" |
| 90° Elbow, male thread | 25x3/4" | AC-90ELB.MALE-25x3/4" |

UNION (TECHNOPOLYMER)


| DESCRIPTION | DIA. | PILOT PART NUMBER |
|----------------------|-----------|-------------------|
| Union, male threaded | 16X1/2" | AC-UNI-16X1/2" |
| Union, male threaded | 20X1/2" | AC-UNI-20X1/2" |
| Union, male threaded | 20X3/4" | AC-UNI-20X3/4" |
| Union, male threaded | 25X1/2" | AC-UNI-25X1/2" |
| Union, male threaded | 25X3/4" | AC-UNI-25X3/4" |
| Union, male threaded | 25X1" | AC-UNI-25X1" |
| Union, male threaded | 32X1" | AC-UNI-32X1" |
| Union, male threaded | 32X1.1/4" | AC-UNI-32X1.1/4" |
| Union, male threaded | 40X1" | AC-UNI-40X1" |
| Union, male threaded | 40X1.1/4" | AC-UNI-40X1.1/4" |
| Union, male threaded | 40X1.1/2" | AC-UNI-40X1.1/2" |
| Union, male threaded | 50X1.1/2" | AC-UNI-50X1.1/2" |
| Union, male threaded | 50X2" | AC-UNI-50X2" |
| Union, male threaded | 63X2" | AC-UNI-63X2" |
| | | |



| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|-----------|-------------------|
| Nipple socket, aluminium body, male threaded | 20X1/2" | ACM5-20X1/2" |
| Nipple socket, aluminium body, male threaded | 20X3/4" | ACM5-20X3/4" |
| Nipple socket, aluminium body, male threaded | 25X1" | ACM5-25X1" |
| Nipple socket, aluminium body, male threaded | 32X1.1/4" | ACM5-32X1.1/4" |
| Nipple socket, aluminium body, male threaded | 50X2" | ACM5-50X2" |

NIPPLE SOCKET - FEMALE THREAD (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|-----------|-------------------|
| Nipple socket, aluminium body, female threaded | 20X1/2" | ACF5-20X1/2" |
| Nipple socket, aluminium body, female threaded | 20X3/4" | ACF5-20X3/4" |
| Nipple socket, aluminium body, female threaded | 25X1" | ACF5-25X1" |
| Nipple socket, aluminium body, female threaded | 32X1.1/4" | ACF5-32X1.1/4" |
| Nipple socket, aluminium body, female threaded | 50X2" | ACF5-50X2" |









SINGLE PORT MANIFOLD (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|-----------|-------------------|
| Single port manifold, female thread D 16x1/2" | 16 | ACM1P-16 |
| Single port manifold, female thread D 20x1/2" | 20 | ACM1P-20 |
| Single port manifold, female thread + threaded insert D. 1/2"X1/2" | 1/2"X1/2" | ACMFF1P-1/2"X1/2" |

DOUBLE PORT MANIFOLD (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|---------|-------------------|
| Double port manifold, female threads D.16x1/2" | 16x1/2" | ACM2P-16x1/2" |
| Double port manifold, female threads D.20x1/2" | 20x1/2" | ACM2P-20x1/2" |
| Double port manifold, female threads D.25x1/2" | 25x1/2" | ACM2P-25x1/2" |

DOUBLE PORT MANIFOLD (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|-----------|-------------------|
| Double port manifold, female threads + threaded insert D. $1/2" \times 1/2"$ | 1/2"x1/2" | ACMFF2P-1/2"x1/2" |
| Double port manifold, female threads + threaded insert D. $3/4" \times 1/2"$ | 3/4"x1/2" | ACMFF2P-3/4"x1/2" |

MULTIPLE MANIFOLD (TECHNOPOLYMER)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|---------------|------------------------|
| Multiple manifold, threaded inlet + 10 threaded outlets 1/2"x1/4"x3/8" | 1/2X1/4"X3/8" | ACMFF10P-1/2X1/4"X3/8" |

COUPLING (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| Coupling | 40 | AC-COUP.ALU-40 |
| Coupling | 63 | AC-COUP.ALU-63 |
| Coupling | 80 | AC-COUP.ALU-80 |
| Coupling | 110 | AC-COUP.ALU-110 |

SLIDING COUPLING (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|------------------|------|-------------------|
| Sliding Coupling | 40 | AC-SL.COUP.ALU-40 |
| Sliding Coupling | 63 | AC-SL.COUP.ALU-63 |
| Sliding Coupling | 80 | AC-SL.COUP.ALU-80 |













90° ELBOW MALE THREAD (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|--------------------|
| 90° Elbow | 40 | AC-90ELBOW.ALU-40 |
| 90° Elbow | 63 | AC-90ELBOW.ALU-63 |
| 90° Elbow | 80 | AC-90ELBOW.ALU-80 |
| 90° Elbow | 110 | AC-90ELBOW.ALU-110 |

END CAP

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| End Cap | 40 | AC-END.CUP.ALU-40 |
| End Cap | 63 | AC-END.CUP.ALU-63 |
| End Cap | 80 | AC-END.CUP.ALU-80 |

TEE (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------|------|-------------------|
| Тее | 40 | AC-TEE.ALU-40 |
| Тее | 63 | AC-TEE.ALU-63 |
| Тее | 80 | AC-TEE.ALU-80 |
| Тее | 110 | AC-TEE.ALU-110 |

THREADED TEE (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|-----------|-------------------|
| Threaded tee, female thread D 40X1.1/4" | 40X1.1/4" | AC-TTF-40X1.1/4" |
| Threaded tee, female thread D 63X2" | 63X2" | AC-TTF-63X2" |
| Threaded tee, female thread D 80X2.1/2" | 80X2,1/2" | AC-TTF-80X2,1/2" |
| Threaded tee, female thread D 110 | 110X3" | AC-TTF-110X3" |

FLANGED TIP

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------------------|--------|--------------------|
| Flanged Tip 80x3" DIN | 80x3" | AC-FLA.DIN-80x3" |
| Flanged Tip 110x4" DIN | 110x4" | AC-FLA.DIN-110x4" |
| Flanged Tip 80x3" ANSI | 80x3" | AC-FLA.ANSI-80x3" |
| Flanged Tip 110x4" ANSI | 110x4" | AC-FLA.ANSI.110x4" |











NIPPLE SOCKET - MALE THREAD (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|------------|---------------------|
| Nipple socket, male threaded D.40x1.1/2" | 40X1.1/2"" | AC-NIP.M-40X1.1/2"" |
| Nipple socket, male threaded D.63x2.1/2" | 63X2" | AC-NIP.M-63X2" |
| Nipple socket, male threaded D.63x2.1/2" | 63X2.1/2" | AC-NIP.M-63X2.1/2" |
| Nipple socket, male threaded D.80x2.1/2" | 80X2.1/2" | AC-NIP.M-80X2.1/2" |
| Nipple socket, male threaded D.80x3" | 80X3" | AC-NIP.M-80X3" |

NIPPLE SOCKET - FEMALE THREAD (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|------------|---------------------|
| Nipple socket, female threaded D 40X1. 1/2" | 40X1.1/2"" | AC-NIP.F-40X1.1/2"" |
| Nipple socket, female threaded D 63X2. 1/2" | 63X2.1/2"" | AC-NIP.F-63X2.1/2"" |

FLANGED COUPLING (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---------------------------|--------|------------------------|
| Flanged Coupling D.63x2" | 63X2" | AC-FL.COUP-63X2" |
| Flanged Coupling D.80x3" | 80X3" | AC-FL.COUP-80X3" |
| Flanged Coupling D.110x4" | 110X4" | AC-FL.COUP-110X4" |
| Flanged Coupling D.63x2" | 63X2" | AC-FL.COUP.ANSI-63X2" |
| Flanged Coupling D.80x3" | 80X3" | AC-FL.COUP.ANSI-80X3" |
| Flanged Coupling D.110x4" | 110X4" | AC-FL.COUP.ANSI-110X4" |

REDUCTION PIPE MALE (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|--------|--------------------|
| Reduction pipe, male/male connection 110x63 | 110x63 | AC-RED.PIPE-110x63 |
| Reduction pipe, male/male connection 110x80 | 110x80 | AC-RED.PIPE-110x80 |

PORT MANIFOLDS FEMALE THREAD (ALUMINIUM)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|----------------|----------------------|
| Single port manifold, female threads | 1/2"x1/2" | ACM1P-1/2"x1/2" |
| Three port manifold, female threads + drain 1/4" (blind) | 1/2"x1/2"X1/2" | ACM3P-1/2"x1/2"X1/2" |
| Four port manifold, female threads + drain 1/4" (blind) | 1/2"x1/2"X1/2" | ACM4P-1/2"x1/2"X1/2" |
| Four port manifold, female threads + drain 1/4" (blind) | 3/4"x3/4"X1/2" | ACM4P-3/4"x3/4"X1/2" |
| Five port manifold, female threads + drain 1/4" (blind) | 3/4"x3/4"X1/2" | ACM5P-3/4"x3/4"X1/2" |
| Seven port manifold, female threads + drain 1/4" (blind) | 3/4"x3/4"X1/2" | ACM7P-3/4"x3/4"X1/2" |












QUICK BRANCH PLUGS (ALUMINIUM - BSP OUTLET)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|----------|-----------------------|
| Quick branch plugs, female threaded outlet (aluminium) | 25x1/2" | AC-PLUGS.ALU-25x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 32x1/2" | AC-PLUGS.ALU-32x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 40x1/2" | AC-PLUGS.ALU-40x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 40x3/4" | AC-PLUGS.ALU-40x3/4" |
| Quick branch plugs, female threaded outlet (aluminium) | 50x1/2" | AC-PLUGS.ALU-50x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 50x3/4" | AC-PLUGS.ALU-50x3/4" |
| Quick branch plugs, female threaded outlet (aluminium) | 63x1/2" | AC-PLUGS.ALU-63x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 63x3/4" | AC-PLUGS.ALU-63x3/4" |
| Quick branch plugs, female threaded outlet (aluminium) | 63x1" | AC-PLUGS.ALU-63x1" |
| Quick branch plugs, female threaded outlet (aluminium) | 80x1/2" | AC-PLUGS.ALU-80x1/2" |
| Quick branch plugs, female threaded outlet (aluminium) | 80x3/4" | AC-PLUGS.ALU-80x3/4" |
| Quick branch plugs, female threaded outlet (aluminium) | 80x1" | AC-PLUGS.ALU-80x1" |
| Quick branch plugs, female threaded outlet (aluminium) | 110X3/4" | AC-PLUGS.ALU-110X3/4" |
| Quick branch plugs, female threaded outlet (aluminium) | 110X1" | AC-PLUGS.ALU-110X1" |



QUICK BRANCH PLUGS (ALUMINIUM - METRIC OUTLET)

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------------|--------|-------------------|
| Quick branch plug | 25X16 | AC-PLUG-25X16 |
| Quick branch plug | 25X20 | AC-PLUG-25X20 |
| Quick branch plug | 32X16 | AC-PLUG-32X16 |
| Quick branch plug | 32X20 | AC-PLUG-32X20 |
| Quick branch plug | 40X16 | AC-PLUG-40X16 |
| Quick branch plug | 40X20 | AC-PLUG-40X20 |
| Quick branch plug | 40X25 | AC-PLUG-40X25 |
| Quick branch plug | 50X16 | AC-PLUG-50X16 |
| Quick branch plug | 50X20 | AC-PLUG-50X20 |
| Quick branch plug | 50X25 | AC-PLUG-50X25 |
| Quick branch plug | 63X20 | AC-PLUG-63X20 |
| Quick branch plug | 63X25 | AC-PLUG-63X25 |
| Quick branch plug | 63X32 | AC-PLUG-63X32 |
| Quick branch plug | 80X20 | AC-PLUG-80X20 |
| Quick branch plug | 80X25 | AC-PLUG-80X25 |
| Quick branch plug | 80X32 | AC-PLUG-80X32 |
| Quick branch plug | 110x25 | AC-PLUG-110x25 |
| Quick branch plug | 110x32 | AC-PLUG-110x32 |



CONTROL KIT



| | 1 |
|-----|---|
| MAL | |









| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---------------------------------|------|-------------------|
| Control kit for pneumatic valve | - | AC-KITVA |

QUICK LINE BALL VALVE

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---------------------------------------|------|----------------------|
| Quick Line stainless steel ball valve | 40 | AC-QL.VALVE-40 |
| Quick Line stainless steel ball valve | 63 | AC-QL.VALVE-63 |
| Quick Line stainless steel ball valve | 80 | AC-QL.VALVE-80 |
| Quick Line stainless steel ball valve | 110 | ACQLVALVE-110 |
| Quick Line stainless steel ball valve | 110 | AC-QL.VALVE.ANSI-110 |

QUICK LINE BALL VALVE FEMALE THREAD

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|-----------|-----------------------|
| Quick Line stainless steel ball valve, female threaded | 40x1.1/2" | AC-QL.VALVE-40x1.1/2" |
| Quick Line stainless steel ball valve, female threaded | 63x2" | AC-VALVE-63x2" |
| Quick Line stainless steel ball valve, female threaded | 80x3" | AC-VALVE-80x3" |

QUICK LINE BALL VALVE MALE THREAD

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|---------|-------------------|
| Quick Line male threaded connection ball valve | 16X1/2" | ACPMBV-16X1/2" |
| Quick Line male threaded connection ball valve | 20X1/2" | ACPMBV-20X1/2" |
| Quick Line male threaded connection ball valve | 25X3/4" | ACPMBV-25X3/4" |

QUICK LINE FEMALE THREADED CONNECTION BALL VALVE

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|---------|-------------------|
| Quick Line female threaded connection ball valve | 16X1/2" | ACPFBV-16X1/2" |
| Quick Line female threaded connection ball valve | 20X1/2" | ACPFBV-20X1/2" |
| Quick Line female threaded connection ball valve | 25X3/4" | ACPFBV-25X3/4" |

FLEXIBLE EXPANSION HOSE MALE CONNECTION

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--|------|-------------------|
| Flexible expansion compensator hose, male connection | 20 | AC-HOSE-20 |
| Flexible expansion compensator hose, male connection | 25 | AC-HOSE-25 |
| Flexible expansion compensator hose, male connection | 32 | AC-HOSE-32 |
| Flexible expansion compensator hose, male connection | 40 | AC-HOSE-40 |
| Flexible expansion compensator hose, male connection | 50 | AC-HOSE-50 |
| Flexible expansion compensator hose, male connection | 63 | AC-HOSE-63 |

ANTI WHIP LASH KIT

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------------|------|-------------------|
| Anti-whiplash kit | - | AC-AW.KIT |

QUICK LINE NUT WRENCH

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|------------------------------------|-------|-------------------|
| Quick Line nut wrench | 16-20 | AC-WRENCH-16-20 |
| Quick Line nut wrench | 25-32 | AC-WRENCH-25-32 |
| Quick Line nut wrench | 40-50 | AC-WRENCH-40-50 |
| Quick Line nut wrench double ended | 63 | AC-WRENCH-63 |

QUICK LINE NUT WRENCH

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|------------------------------------|------|-------------------|
| Quick Line nut wrench | 40 | AC-WRENCH-40 |
| Quick Line nut wrench single ended | 63 | AC-WRENCH.S-63 |
| Quick Line nut wrench | 80 | AC-WRENCH-80 |

UNIVERSAL NUT WRENCH

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|----------------------|-------------------------|---------------------|
| Universal nut wrench | universal universale | AC-WRENCH-UNIVERSAL |

PIPE FITTING INSERTION METER

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|--------------------------------------|-------|-------------------|
| Pipe-fitting insertion meter D 16-80 | 16-80 | AC-PIPE.FIT-16-18 |

DEBURRERS & REAMERS

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-----------------------|--------|-------------------|
| Deburrers and reamers | 16-50 | AC-DEB-16-50 |
| Deburrers and reamers | 63-110 | AC-DEB-63-110 |
| Toolbox | - | AC-TOOLBOX |













BUSH WITH O-RING SEALS

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-----------------------|------|-------------------|
| Bush with O-Ring seal | 16 | AC-BOR-16 |
| Bush with O-Ring seal | 20 | AC-BOR-20 |
| Bush with O-Ring seal | 25 | AC-BOR-25 |
| Bush with O-Ring seal | 32 | AC-BOR-32 |
| Bush with O-Ring seal | 40 | AC-BOR-40 |
| Bush with O-Ring seal | 40 | AC-BOR.AL-40 |
| Bush with O-Ring seal | 50 | AC-BOR-50 |
| Bush with O-Ring seal | 63 | AC-BOR-63 |
| Bush with O-Ring seal | 80 | AC-BOR-80 |



VITON O-RING SEALS

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|-------------------|------|-------------------|
| Viton O-Ring seal | 16 | AC-VOR-16 |
| Viton O-Ring seal | 20 | AC-VOR-20 |
| Viton O-Ring seal | 25 | AC-VOR-25 |
| Viton O-Ring seal | 32 | AC-VOR-32 |
| Viton O-Ring seal | 40 | AC-VOR-40 |
| Viton O-Ring seal | 40 | AC-VOR.AL-40 |
| Viton O-Ring seal | 50 | AC-VOR-50 |
| Viton O-Ring seal | 63 | AC-VOR-63 |
| Viton O-Ring seal | 80 | AC-VOR-80 |



RING NUT WITH CLAMPING RING

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|------|-------------------|
| Ring nut with stainless steel clamping ring | 16 | AC-RNUT-16 |
| Ring nut with stainless steel clamping ring | 20 | AC-RNUT20 |
| Ring nut with stainless steel clamping ring | 25 | AC-RNUT25 |
| Ring nut with stainless steel clamping ring | 32 | AC-RNUT32 |
| Ring nut with stainless steel clamping ring | 40 | AC-RNUT40 |
| Ring nut with stainless steel clamping ring | 50 | AC-RNUT50 |
| Ring nut with stainless steel clamping ring | 63 | AC-RNUT63 |



ALUMINIUM RING NUT WITH CLAMPING RING

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|---|------|-------------------|
| Aluminium ring nut with stainless steel clamping ring | 40 | AC-ANUT-40 |
| Aluminium ring nut with stainless steel clamping ring | 63 | AC-ANUT-63 |
| Aluminium ring nut with stainless steel clamping ring | 80 | AC-ANUT-80 |
| Aluminium ring nut with stainless steel clamping ring | 110 | AC-ANUT-110 |

ALUMINIUM DOUBLE BEND

| DESCRIPTION | DIA. | PILOT PART NUMBER |
|----------------------------|------|-------------------|
| Aluminium double bend D.20 | 20 | AC-PIPEDB-20 |
| Aluminium double bend D.25 | 25 | AC-PIPEDB-25 |



